

Closed Pig Plastic Floor

As the professional manufacturers, Deba Brothers® would like to provide you Closed Pig Plastic Floor. Materials are mostly pp, light weight, easy disassembly ,strong, constant temperature with the role of protection.

Product Description

Deba Brothers® is a professional China Closed Pig Plastic Floor manufacturers and suppliers. The closed pig plastic floor produced by Deba Brothers® is more smooth. The closed pig plastic floor ensures good manure penetration and does not have any sharp corners or edges. Closed pig plastic floor can be cleaned easily and can be combined with solid plates, cast iron slats and heating plates for the piglets in farrowing crate.

Closed Pig Plastic Floor Specification

Dimension	400*600mm
	500*600mm
	600*600mm
Thickness	70mm
Material	Plastic

Closed Pig Plastic Floor Advantage

- 1.High quality pp, anti-aging, anti-corrosion, long service life, no doping material.
- 2.The jagged card slots on both sides are seamlessly docked for easy installation and disassembly.
- 3.The double-layer load-bearing beam on the back has a larger bearing capacity and is more durable.
- 4.Corrosion resistant, easy to clean, save the time of manual dung cleaning
- 5.Protective effect to the piglets .
- 6.Provide a superior farrowing platform.

7. Different colors can be produced according to customers' requirement.

8. Thickening floor, strong compression resistance make it impossible to break by pig.

Closed Pig Plastic Floor details

1. Raised texture design: Groove design is more easy to clean, plastic small temperature difference and prevent pig diarrhea.

2. Double bearing beam design: Large load bearing, experimental test, safe and stocking.

3. Card slot docking: Easy to disassemble, the install card slots are serrated seamlessly.

4. Small temperature difference: Prevent large temperature difference between day and night. Piglets are cold or burnt.

5. Jagged card slot, standard aperture, PP material, double bearing beam.

Solid Plastic floor

MATERIALS ARE MOSTLY PP, LIGHT WEIGHT, EASY DISASSEMBLY, STRONG,
CONSTANT TEMPERATURE WITH THE ROLE OF PROTECTION.



Bearing strong



Does not hurt
nipples



Complete
specifications



Easy to clean



Reasonable hole
spacing



Small temperature
difference




Corrosion
resistance






Durable

PRODUCT DESCRIPTION




PRODUCT SIZE






PRODUCT ADVANTAGE




| RAISED TEXTURE DESIGN

Groove design is more easy to clean, plastic small temperature difference and prevent pig diarrhea



| DOUBLE BEARING BEAM DESIGN

Large load bearing, experimental test, safe and stocking



| CARD SLOT DOCKING

Easy to disassemble, the installed card slots are serrated seamlessly.



| SMALL TEMPERATURE DIFFERENCE

Prevent large temperature difference between day and night, sheep are cold or burnt.

MANY SHEEP ARE IN USE

This is a search Long floor fecal leakage

